

PINECREST® QUOTATION/ORDER FORM (F) FOR THE VENETIAN COLLECTION OF LIGHTSMITH™ GRILLES

2118 Blaisdell Avenue
 Minneapolis, Minnesota 55404-2490
 telephone 800-443-5357 612-871-7071
 fax 612-871-8956, email: info@pinecrestinc.com
 internet: www.pinecrestinc.com

Dealer _____
 Address _____
 City & State _____
 Telephone No. _____
 Fax No. _____
 Order No. _____ Tag _____

Ship To _____

 Date _____
 SIGNED BY _____
 PRINT NAME _____

ALL ORDERS MUST BE SIGNED

- 1. PRODUCT SERIES:**
- Framed Window Grilles
 - Mirrors
 - Unframed Grilles
 - Sliding Panels
 - Folding Screens
 - Dividers
 - Bifolds
 - Decorative Wall Hangings
 - Wall and Ceiling Paneling
 - Interior Doors
 - Headboards
 - Extira™ Treated Ext. Composite

2. SPECIFY GRILLE PATTERN NO.: _____

- 3. MATERIAL:**
- Solid Wood
 - Wood Veneered MDF
 - MDF
 - Extira™ Treated Exterior Composite (unfinished only)

- 4. WOOD SPECIES:**
- Mahogany
 - Plain Sawn Red Oak
 - American Black Cherry
 - American Black Walnut
 - Hard Maple

- 5. FINISHES:**
 Gemini® stains as listed below are standard.
 Check here to order standard stain colors.
- Unfinished
 - Executive Cherry on Cherry
 - Harvest on Cherry
 - Executive Cherry on Mahogany
 - Fruitwood on Mahogany
 - Fruitwood on Maple
 - Harvest on Maple
 - Wild Cherry on Oak
 - Dark Oak on Walnut
 - Natural (clear) on Cherry
 - Natural (clear) on Mahogany
 - Natural (clear) on Maple
 - Natural (clear) on Oak
 - Natural (clear) on Walnut
 - Custom Stain Finish
 - Standard Paint Finish: Specify Manufacturer: _____
Specify Name and Number: _____
 - Custom Paint Finish

- 6. WITH TRANSLUCENT (PRIVACY) MATERIALS AND STOPS:**
Check one when applicable.
- 1/16" Copolyester Sandwiched Between (2) 1/4" T Grilles (1-1/4" T Frame)
 - 1/16" Copolyester Behind 1/4" T Grille (3/4" T Frame)
 - 1/16" Copolyester Behind 1/2" T Grille (1-1/4" T Frame)
 - 1/16" Copolyester Behind 1/2" T Grille (1-3/8" T Frame)
 - 1/16" Copolyester Sandwiched Between (2) 3/8" T Grilles (1-3/4" T Frame)
 - 1/8" Acrylic Behind 1/2" T Grille (1-3/8" T Frame)
 - 1/8" Acrylic Sandwiched Between (2) 3/8" T Grilles (1-3/4" T Frame)

- 7. CHECK ONE FOR 1/8" ACRYLIC OR 1/8" CLEAR TEMPERED GLASS:**
- Textured Water Glass (Acrylic)
 - Clear Tempered Glass
 - Smooth Frosted Acrylic

WINDOWS WITH PINECREST® HARDWARE




Complete No.'s 1-5 (6-7 when applicable), 8-14 and (15 when applicable).

- 8. FRAME THICKNESS:**
 Check one. Framed window grilles without translucent material.
 3/4" Thick Frames (thru 24"W x 80"H only) 1-1/4" Thick Frames
 See No. 6 for frame thickness with translucent options.

9. NUMBER OF WINDOW OPENINGS	10. OPENING WIDTH	11. OPENING HEIGHT	12. CHECK ONE - NUMBER OF PANELS PER OPENING*			
			Panel Option (A) (1) Panel	Panel Option (B) (2) Panels Open Center	Panel Option (B-1) (2) Panels Hinge One Way	Panel Option (B-1) (2) Panels Hinge One Way
					<input type="checkbox"/>	<input type="checkbox"/>
					<input type="checkbox"/>	<input type="checkbox"/>
					<input type="checkbox"/>	<input type="checkbox"/>

*For (4) panels open center, contact PINECREST® (option D)

- OPTION: A (1) panel in window
 OPTION: B (2) panels in window
 OPTION: B-1 Hinge One Way (2) panels in window



- 13. INSTALLATION TYPES:**
 INNER MOUNT IM-7 IM-8*
 OUTER MOUNT OM-1
- *Pinecrest® will deduct from your width measurement to accommodate the strips unless you specify otherwise.
 Do not make deductions for strips.

- 14. ALLOWANCES FOR HINGES AND CLEARANCE:**
 Pinecrest® makes clearance allowances in your measurements for **outer mount installations (OM-1)** unless you specify otherwise.
 Do not make width allowance for clearance.

Pinecrest® makes hinge allowances in your width measurement and clearance allowances for both your width and height measurements for **inner mount installations (IM-7 and IM-8)** unless you specify otherwise.
 Do not make width allowance for hinges.
 Do not make width allowance for clearance.
 Do not make height allowance for clearance.

15. HANGING STRIPS

QUANTITY	WIDTH	THICKNESS	LENGTH

PLEASE CHECK ALL INFORMATION YOU HAVE GIVEN US TO ENSURE ACCURACY. ONCE WE HAVE RECEIVED YOUR ORDER, THERE WILL BE A \$50.00 NET CHARGE FOR EACH TIME ALTERATIONS ARE MADE. IN SOME SITUATIONS WHERE THE ORDER IS ALREADY IN PRODUCTION, CHANGES WILL BE IMPOSSIBLE OR COSTLY.

WINDOWS, FRAMED DIVIDERS, WALL & CEILING PANELING WITHOUT PINECREST® HARDWARE

Complete No.'s 1-5, (6-8 when applicable) and 16-18.

16. NUMBER OF SINGLE PANELS	17. PANEL WIDTH	18. PANEL HEIGHT

MIRRORS

Complete No.'s 1-5, 19-20.

19. SIZE: _____ 20. QUANTITY: _____

SLIDING PANELS

Complete No.'s 1-5, (6-7 when applicable) and 21-26.

21. NUMBER OF OPENINGS	22. NO. OF PANELS	23. OPENING WIDTH	24. OPENING HEIGHT

25. TRACK:

TR9

SLIDING INSTALLATIONS:

PINECREST® makes allowances for track and components and adds to your dimensions for overlaps.

Installation Type: _____

Header & return depth measurements do not include casing protrusion or other protrusions such as handles, cranks, etc. When there are protrusions, PINECREST® will add the measurement to the header and return depths shown in catalog.

Protrusion _____ inches.

26. OUTER MOUNT

1-1/2" T header is provided.

1" T returns provided unless specified otherwise.

No Returns

1/4" T top fascia is provided.

Top fascia to be: 1 Side 2 Sides

INNER MOUNT

1/2" T header is provided unless otherwise specified.

No Header

PINECREST® deducts from opening height to accommodate header unless specified otherwise.

Do not deduct for header.

Returns are not required.

1/4" T top fascia is provided unless otherwise specified.

No Top Fascia

Top fascia to be: 1 Side 2 Sides

BIFOLDS

Complete No.'s 1-5, (6-7 when applicable) and 27-31.

27. NUMBER OF OPENINGS	28. NO. OF PANELS		29. OPENING WIDTH	30. OPENING HEIGHT
	FOLD LEFT	FOLD RIGHT		

31. TRACK:

TR9 Track

BIFOLDING INSTALLATIONS:

INNER AND OUTER MOUNT

When protrusions such as handles, cranks, etc. exceed the thickness of the panel, PINECREST® will add to the header and return depth measurement the amount that exceeds the panel thickness. NOTE: Take into consideration the 3/4" casing thickness allowance already included for outer mount installations.

Protrusion _____ inches.

OUTER MOUNT

1-1/2" T header, 1" T returns and 1/4" T top and side fascias are provided. PINECREST® has allowed 3/4" in the header and return depth measurements to accommodate 3/4" T casings.

Casing thickness _____ inches.

PINECREST® will deduct from your opening height measurement to accommodate track unless specified otherwise.

Do not deduct for track.

INNER MOUNT

1/2" T header and returns and 1/4" T top and side fascia (used only with returns) will be provided unless you specify otherwise.

Do not include header. Do not include returns.

Do not include top fascia. Do not include side fascia.

PINECREST® will deduct from your opening measurements to accommodate track, header, returns, hinges and clearance unless you specify otherwise.

Do not deduct from measurements.

FOLDING SCREENS

Complete No.'s 1-5, (6-7 when applicable) and 32-34.

32. NUMBER OF SCREENS	33. NUMBER OF PANELS PER SCREEN	34. SIZE OF EACH PANEL

UNFRAMED GRILLES, DECORATIVE WALL HANGINGS* AND SELF-FRAMED DIVIDERS**

Complete No.'s 1-5 and 35-38.

35. CHECK ONE

	Grille Profiles (1) Side					Grille Profiles (2) Sides				
	1/4"	1/2"	3/4"	1-1/4"	1-5/16"	1/4"	1/2"	3/4"	1-1/4"	1-5/16"
Solid Wood	N/A	<input type="checkbox"/>	<input type="checkbox"/>	N/A	N/A	N/A	<input type="checkbox"/>	<input type="checkbox"/>	N/A	N/A
MDF	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	N/A	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	N/A
Veneered MDF	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	N/A	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	N/A	<input type="checkbox"/>
Extira™ Treated Exterior Composite (unfinished only)	N/A	N/A	<input type="checkbox"/>	<input type="checkbox"/>	N/A	N/A	N/A	<input type="checkbox"/>	<input type="checkbox"/>	N/A

36.

37.

38.

36. QUANTITY	37. GRILLE WIDTH	38. GRILLE HEIGHT

* Decorative Wall Hanging - Standard thickness 3/4", Profiles (1) side.

** Self-framed Divider with metal feet No.701 - Standard thickness 3/4", Profiles (1) side or (2) sides. Self-framed Divider No.700 - Standard thickness 1-1/4" (MDF) or 1-5/16" (Veneer), Profiles (1) side or (2) sides.

INTERIOR STILE AND RAIL DOORS

Complete No.'s 1-5, (6-7 when applicable) and 39-43.

39. FRAME THICKNESS

Check one for doors without translucent material.

1-3/8" 1-3/4"

40. TRANSLUCENT (PRIVACY) MATERIAL

Check one for privacy material

1/16" Copolyester Behind Grille Sandwiched Between (2) Grilles

1/8" Acrylic or Glass Behind Grille Sandwiched Between (2) Grilles

41.

42.

43.

41. QUANTITY	42. WIDTH	43. HEIGHT

HEADBOARDS

Complete No.'s 1-5 and 44-45.

44. CHECK ONE

Twin Full Queen King

45. QUANTITY _____

PINECREST® QUOTATION/ORDER FORM (G) FOR THE VENETIAN COLLECTION OF LIGHTSMITH™ GRILLES POWDER COATED STEEL

2118 Blaisdell Avenue
 Minneapolis, Minnesota 55404-2490
 telephone 800-443-5357 612-871-7071
 fax 612-871-8956, email: info@pinecrestinc.com
 internet: www.pinecrestinc.com

Dealer _____
 Address _____
 City & State _____
 Telephone No. _____
 Fax No. _____
 Order No. _____ Tag _____

Ship To _____

 Date _____
 SIGNED BY _____
 PRINT NAME _____

ALL ORDERS MUST BE SIGNED

1. PRODUCT SERIES:

- Powder Coated Steel Window Grilles
- Powder Coated Steel Door Grilles
- Powder Coated Steel Doors
- Powder Coated Steel Railings
- Powder Coated Steel Lay-in Ceilings

Lightsmith™ steel products are also available in stainless steel – Request Quotation.


Thicknesses: 14 gauge and 12 gauge grilles
 14 gauge tubing

Maximum Sheet Size: 46"W x 94"H


Finishes: Bright Polished
 Brushed

2. SPECIFY GRILLE PATTERN NO.	3. CHECK ONE		4. CHECK ONE FOR STAINLESS STEEL		5. CHECK ONE FOR LAY-IN CEILING		6. QUANTITY	7. SIZE	8. CHECK ONE POWDER COAT FINISH						9. CHECK ONE STAINLESS STEEL FINISH		10. PINECREST® BORES FOR YALE® DEADBOLT AND KNOB INSTALLATION FOR 5004 DOOR UNLESS SPECIFIED OTHERWISE (See drawing #10 below.)	11. POWDER COATED STEEL HINGES ARE WELDED TO 5004 DOORS UNLESS OTHERWISE SPECIFIED.	12. 5004 SINGLE DOOR, SPECIFY HINGE SIDE: (See drawing #12 below.)	
	Steel	Stainless Steel	Stainless Steel 12 Gauge Grille	Stainless Steel 14 Gauge Grille	18 Gauge	20 Gauge			Silver	Bronze	Textured Copper	Gunmetal	Brass	Black	Bright Polished	Brushed			(E) Hinge Left	(F) Hinge Right
																<input type="checkbox"/> Do Not Bore	<input type="checkbox"/> Do Not Include Hinges			
																<input type="checkbox"/> Do Not Bore	<input type="checkbox"/> Do Not Include Hinges			
																<input type="checkbox"/> Do Not Bore	<input type="checkbox"/> Do Not Include Hinges			
																<input type="checkbox"/> Do Not Bore	<input type="checkbox"/> Do Not Include Hinges			
																<input type="checkbox"/> Do Not Bore	<input type="checkbox"/> Do Not Include Hinges			
																<input type="checkbox"/> Do Not Bore	<input type="checkbox"/> Do Not Include Hinges			
																<input type="checkbox"/> Do Not Bore	<input type="checkbox"/> Do Not Include Hinges			
																<input type="checkbox"/> Do Not Bore	<input type="checkbox"/> Do Not Include Hinges			
																<input type="checkbox"/> Do Not Bore	<input type="checkbox"/> Do Not Include Hinges			
																<input type="checkbox"/> Do Not Bore	<input type="checkbox"/> Do Not Include Hinges			

#10 - Bores



#12 - Single Doors



PLEASE CHECK ALL INFORMATION YOU HAVE GIVEN US TO ENSURE ACCURACY. ONCE WE HAVE RECEIVED YOUR ORDER, THERE WILL BE A \$50.00 NET CHARGE FOR EACH TIME ALTERATIONS ARE MADE. IN SOME SITUATIONS WHERE THE ORDER IS ALREADY IN PRODUCTION, CHANGES WILL BE IMPOSSIBLE OR COSTLY.